



küschall® K-Series

“To achieve the possible, one must attempt the impossible again and again.”

Hermann Hesse

küschall® K-Series



küschall® AirLite



küschall® K4

Express your personality

through pure lines,

lightness and performance



*Increased mobility and
an exceptional aesthetic feel*



*K-Series for
total freedom of action*

*Guy van Royen
T7 since 2000, Motorcycle accident*

"An exciting job as General Manager, an active family life, and lots of sports: My küschall® AirLite has never let me down in reaching the high objectives that I set for myself! Thanks to the lightness and reliability of this wheelchair, it feels as if over the years, it has become part of my body."



Options



Carbon axle

Titanium backrest and footrest

Carbon clothes- and mud guards

Rear wheel extension

Vario-Ax camber adjustment (1°, 3°, 7° and 10°)

High-Performance wheel for lightness

These are only a few of the many options available for this model. Contact your nearest Kuschall specialist for more information.

Technical Data



Seat width:
34 - 46 cm
(in increments of 2 cm)



Seat depth:
35 - 50 cm
(in increments of 2.5 cm)



Seat height:
front: 48 - 51 cm
rear: 38 - 49 cm
(in increments of 1 cm)



Backrest height:
27 - 48 cm
(in increments of 1.5 cm)



Knee-to-heel length:
29 - 33 cm (high mounted)
34 - 48 cm
(in increments of 1 cm)



Seat angle:
variable, standard 7 cm



Backrest angle:
-8°, -4°, 0°, 4°, 8°, 12°



Total width (with 3° camber):
Seat width + 23 cm



Total length (Standard):
75° (K4): approx. 83 cm
90° (AirLite): approx. 76 cm



Total weight/unloaded:
Approx. 9.2 kg



Max. user weight:
120 kg




Transport weight (w/out rear wheels):
Approx. 6.0 kg

NOTE: Except where otherwise specified, all measurements and weights indicated are based on the standard of this model in seat width 36 cm.

Colours

Frame



CPS (Colour Power Set)



Starec hubs with quick release protection, 22" and 24" Starec rear wheel rims, forks, castor housing caps, front seat module caps, backrest angle adjustment plates.

Kuschall AG | Benkenstrasse 260 | CH-4108 Witterswil | Switzerland | Phone +41 (0) 61 487 70 70 | Fax +41 (0) 61 487 70 79 | www.Kuschall-uk.co.uk

United Kingdom:

Invacare Ltd. | South Road | Bridgend Industrial Estate | Bridgend CF31 3PY | Phone +44 (0)1 656 647327 | Fax +44 (0)1 656 649016 | www.invacare.co.uk

Ireland:

Invacare Ltd. | Unit 5, Seatown Business Campus | Seatown Road | Swords, Co. Dublin | Phone +353 (0)1 810 7084 | Fax +353 (0)1 810 7085 | www.invacare.ie

Kuschall® is a registered trademark. Every effort has been made to ensure that the contents of this publication are fully up-to-date at the time of going to print. As part of its ongoing improvement of products, Kuschall AG reserves the right to modify existing models at any time. Any use of this publication, or of parts thereof, as well as any reproduction of images, must have the written consent of Kuschall AG.